


**Draft**

# **Concurrent Chemoradiotherapy for Locally Advanced Cervical Cancer**

**Forum for Nuclear Cooperation in Asia (FNCA)**

**Application of Radioisotopes and  
Radiation for Medical Use**

# Treatment Protocol



**EBRT: 1.8~2Gy/fr, 5fr/week    Whole Pelvis: 30-40Gy + Central Shield: 20-10Gy**

**ICBT: HDR treatment: 18~28Gy/3~4fr (5~7Gy/fr)**

**LDR treatment: 30~40Gy/1~2fr**

**Cisplatin: 40 mg/m<sup>2</sup>/weekly, week 1~week 5**

# Instruction of Chemotherapy

## Day 1

- |                  |                      |                |
|------------------|----------------------|----------------|
| 1. Normal saline | 500 ml               | div. 1.5 hours |
| 2. Normal saline | 500 ml               | div. 1.5 hours |
| { Ondansetron    | 2–4 mg               |                |
| { Dexamethazone  | 4 mg                 |                |
| 3. Normal saline | 500 ml               | div. 1.5 hours |
| Cisplatin        | 40 mg/m <sup>2</sup> |                |
| 4. Normal saline | 500 ml               | div. 1.5 hours |
| { Metoclopramide | 5–10 mg              |                |
| { Furosemide     | 20 mg                |                |



# General Scheme of the Joint Clinical Study

