


**CERVIX III**  
**A MALAYSIAN EXPERIENCE**

**Fuad Ismail**  
**Dept. of Radiotherapy & Oncology**  
**HUKM**

# HUKM PROTOCOL

---

- **Chemotherapy**
  - Cisplatin single agent
  - 50 mg absolute dose weekly
  - Hydration



- **Treatment time = 5.5 weeks**

# PILOT STUDY

---

- **Opted for 2 dose schedules**
  - **30 & 40 mg / m<sup>2</sup>**
- **Radiation as per cervix 1**

# HUKM PATIENTS

---

- 4 patients in total
- SA                      39 years
- WKL                    53
- CFS                    50
- LKM                    48

# HISTO & STAGING

---

- 001                      Adeno                      2B                      L
- 002                      Adeno                      3B                      L
- 003                      Squam                      2B                      M
- 004                      Squam                      3B                      L

# TREATMENT

---

- All given WP 30 Gy & CS 20 Gy
- Brachy doses 18 – 28 Gy HDR
- Chemo
  - CDPP 30 mg / m<sup>2</sup> (one had 35 mg / m<sup>2</sup>)
  - Given 5 – 7 doses
- No toxicity related delays

# TOXICITY

---

- **Well tolerated**
  - **No grade 3 toxicity**
  - **No use of G-CSF**
  - **Blood transfusion**
    - **Probably bleeding tumour rather than chemo**

# CONCLUSION

---

- **Mixture of adeno & Squam**
- **No patients given 40 mg/m<sup>2</sup>**
- **Treatment well tolerated**
  - **No major side-effects**
  - **Similar to established HUKM protocol**
- **Await follow-up but could continue trial at 40 mg/m<sup>2</sup>**



# NEW UNIVERSITY PROTOCOL

---

- **Chemo trials**
  - **Prolonged treatment time**
    - **Often 9 week**
  - **Current recommendation**
    - **7 weeks**
- **Combined HUKM – UM protocol**









**THANK YOU**